

Mosaicos Solana S. A.



CONCRETE SLABS FOR USE AS CEMENT ADHESIVE TESTING SUPPORT



CONCRETE SLABS made in an automatically way, under pressing (150 Kg/cm^2) and vibration conditions, for absorbing excess water from the mixing, getting the best concrete compaction ever.

Concrete slabs are suitable for use as cement adhesive testing support according to standard number **EN 1323:2007**: Adhesives for tiles. Concrete slabs for test.

Mosaicos Solana, S.A.

Avenida de la Estación, 29. 26500 Calahorra (La Rioja) Spain

Tel. +34 941 130 150

Fax. +34 941 146 820

E. Mail: info@mosaicos-solana.com

www.mosaicos-solana.com

TECHNICAL SHEET

Features as cement adhesive testing support in order to determining the mechanical properties of the adhesive for tiles, according to the standard number EN 1323:2007.

- ⇒ Water-Absorption test on the slab surface with Carsten-Rohrchen pipe.
- ⇒ Tensile strength.

Test	Slab 1	Slab 2	Slab 3	Standard specification
Water-Absorption Test (cm ³)	1,2	1,0	1,2	Between 0,5 and 1,5 cm ³
Tensile strength (N/mm ²)	2,75	2,89	2,32	> 1,5

Mosaicos Solana, S.A.

Avenida de la Estación, 29. 26500 Calahorra (La Rioja) Spain

Tel. +34 941 130 150

Fax. +34 941 146 820

E. Mail: info@mosaicos-solana.com

www.mosaicos-solana.com

PRICE LIST

SIZES	€ / Unit	Unit / PALLET
60X40X4,5 cm.	3,23	52
29,7X40X4,5 cm.	3,25	104
19,7X40X4,5 cm.	2,16	156
19,7X29,7X4,5 cm.	1,60	208
60X19,7X4,5 cm.	3,24	104

- Current tax charge at delivery time.
- Incoterm EX WORKS.
- Slabs are placed upright into the pallet, with thermal protection.
- Pallets free.

Mosaicos Solana, S.A.

Avenida de la Estación, 29. 26500 Calahorra (La Rioja) Spain

Tel. +34 941 130 150

Fax. +34 941 146 820

E. Mail: info@mosaicos-solana.com

www.mosaicos-solana.com